



Main

Range	TeSys
Product or component type	Contacteur coil
Device short name	LX4D8
Control circuit type	DC standard
[Uc] control circuit voltage	24 V DC
Average resistance	147 Ohm at 68 °F (20 °C)
Inductance of closed circuit	3.03 H
Product compatibility	LC1D150 LC1D115
Mechanical durability	8 Mcycles
Operating rate	1200 cyc/h at <= 140 °F (60 °C)

Complementary

Coil technology	Without built-in suppressor module
Control circuit voltage limits	0.15...0.4 Uc at 131 °F (55 °C) drop-out 0.75...1.2 Uc at 131 °F (55 °C) operational
Time constant	25 ms
Inrush power in W	270...365 W at 68 °F (20 °C)
Hold-in power consumption in W	2.4...5.1 W at 68 °F (20 °C)

Environment

Ambient air temperature for operation	23...140 °F (-5...60 °C)
Product weight	0.66 lb(US) (0.3 kg)

Ordering and shipping details

Category	22341 - CONTACTOR,D,K,&F ACCESS
----------	---------------------------------

Discount Schedule	I12
GTIN	00785901301578
Nbr. of units in pkg.	1
Package weight(Lbs)	0.660000000000000003
Returnability	N
Country of origin	CZ

Contractual warranty

Warranty period	18 months
-----------------	-----------