



Powering Business Worldwide

pe.eaton.com

XT IEC Current Transformer Overload Relay

XTOT090C3S

Dimensions:

- Height: X
- Length: X
- Width: X

Notes: The main current parameters are defined by the main current wiring that is used.

Warranties: No Data

Specifications:


- **Contact Configuration:** 1NO-1NC
- **Frame Size:** M-N
- **Mounting:** Separate mount
- **Overload Range:** 60-90A
- **Trip Type:** 30A
- **Type:** XT IEC Current Transformer Overload Relay
- **Used With:** 300-500A

Supporting documents:

- [C440 Electronic Overload Relay](#)
- [Global Data Sheet - XTOT090C3S](#)
- [Eatons Volume 5-Motor Control and Protection](#)
- [XTOT_C3S 2D Drawing Xchange](#)
- [Eaton Specification Sheet - XTOT090C3S](#)
- [XTOT_C3S 3D Inventor](#)
- [XTOT_C3S 2D PDF](#)
- [XTOT_C3S 3D Model Xchange](#)
- [XTOT_C3S AutoCAD 2D Footprint](#)
- [XTOT_C3S AutoCAD 2D Footprint \(mm\)](#)

Certifications:

- UL Listed
- CSA Certified
- IEC 60947



- EN 60947

Product compliance:

- ATEX Compliant
- CE Marked
- RoHS Compliant

© 2016 Eaton. All rights reserved.