



Product availability : Stock - Normally stocked in distribution facility



Main

Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKD
Head type	Multi-directional head
Product compatibility	XCKS XCKM XCKL
Associated body	ZCKLD37 ZCKMD39H29 ZCKM6 ZCKM1 ZCKMD37 ZCKL7 ZCKS9H29 ZCKLD37H7 ZCKS1 ZCKM6H29 ZCKLD35H7 ZCKMD35 ZCKLD39H7 ZCKL7H7 ZCKM5H7 ZCKS1H29 ZCKS8H29 ZCKLD35 ZCKM7 ZCKLD31H7 ZCKMD37H7 ZCKS7 ZCKLD31 ZCKMD31H7 ZCKS7H29 ZCKM9H29 ZCKL6H7 ZCKMD39 ZCKMD35H29

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

ZCKMD37H29  
 ZCKSD31H29  
 ZCKS6H29  
 ZCKSD39  
 ZCKM8H29  
 ZCKM1H29  
 ZCKL6  
 ZCKMD31H29  
 ZCKM5H29  
 ZCKS2  
 ZCKM1H7  
 ZCKMD39H7  
 ZCKS5H29  
 ZCKL5  
 ZCKL8H7  
 ZCKL1H7  
 ZCKS8  
 ZCKM9  
 ZCKM8  
 ZCKSD31  
 ZCKL8  
 ZCKM7H7  
 ZCKL5H7  
 ZCKLD39  
 ZCKSD39H29  
 ZCKM6H7  
 ZCKM5  
 ZCKSD35H29  
 ZCKS6  
 ZCKMD35H7  
 ZCKSD37H29  
 ZCKM7H29  
 ZCKSD35  
 ZCKMD31  
 ZCKM8H7  
 ZCKSD37  
 ZCKS5  
 ZCKS2H29  
 ZCKS9  
 ZCKL1

Movement of operating head	Multi-directional
Type of operator	Cat""S whisker spring return
Type of approach	Multi-directional approach

### Complementary

Switch actuation	By any moving part
Positive opening	Without
Head material	Metal

### Environment

Ambient air temperature for operation	-13...158 °F (-25...70 °C)
Ambient air temperature for storage	-40...158 °F (-40...70 °C)
Environmental characteristic	Standard environment

### Ordering and shipping details

Category	22416 - LIMIT SWITCHES,IEC,XCKL
Discount Schedule	T
GTIN	00785901646778
Nbr. of units in pkg.	1
Package weight(Lbs)	0.1000000000000001
Returnability	Y
Country of origin	ID

## Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0922 - Schneider Electric declaration of conformity <a href="#">Schneider Electric declaration of conformity</a>
REACH	Reference not containing SVHC above the threshold <a href="#">Reference not containing SVHC above the threshold</a>
Product end of life instructions	Need no specific recycling operations

## Contractual warranty

Warranty period	18 months
-----------------	-----------