


|                          |
|--------------------------|
| HONEYWELL<br>PART NUMBER |
| 98102                    |

| REV | DOCUMENT | CHANGED BY  | CHECK |
|-----|----------|-------------|-------|
| C   | 0067198  | SSK 12JUL10 | CMH   |

CUSTOMER: \_\_\_\_\_  
 APPROVED BY: \_\_\_\_\_  
 DATE: \_\_\_\_\_  
 CUSTOMER  
 PART NO.: \_\_\_\_\_



NOTES:

- METER MUST BE MOISTURE RESISTANT WHEN SUBMERGED IN WATER AT +150° F. FOR 3 MINUTES.
- METER REQUIRES A  $\phi 2.00$  MOUNTING HOLE.
- TORQUE NUTS TO 5 IN. LB. MAX. TO SECURE HOURMETER INTO PANEL.
- DATE CODE IS A 5 DIGIT NO., 1ST & 2ND DIGITS REPRESENT THE YEAR, THE NEXT 3 DIGITS REPRESENT THE DAY. EXAMPLE: 04285 IS 285TH DAY OF 2004
- OPERATING RANGE: 8 VDC (MIN) THRU 16 VDC (MAX).
- RETAINER & NUTS TO BE SHIPPED LOOSE & INSTALLED BY CUSTOMER.
- DIMENSIONS ARE FOR REFERENCE ONLY UNLESS OTHERWISE SPECIFIED.

SIM. TO: 85003

CUSTOMER PRINT

|   |   |                  |              |             |                    |       |   |   |           |   |   |      |           |     |   |      |             |      |   |      |            |       |   |       |        |   |   |    |           |
|---|---|------------------|--------------|-------------|--------------------|-------|---|---|-----------|---|---|------|-----------|-----|---|------|-------------|------|---|------|------------|-------|---|-------|--------|---|---|----|-----------|
| DESIGN UNITS: INCH<br>TOLERANCES UNLESS NOTED:  | DRAWN DDC 21NOV01   | <b>Honeywell</b> |              |             |                    |       |   |   |           |   |   |      |           |     |   |      |             |      |   |      |            |       |   |       |        |   |   |    |           |
| <table border="1"> <tr><td>NO PLACE</td><td>X</td><td>±</td><td>-</td></tr> <tr><td>ONE PLACE</td><td>X</td><td>±</td><td>.020</td></tr> <tr><td>TWO PLACE</td><td>.XX</td><td>±</td><td>.010</td></tr> <tr><td>THREE PLACE</td><td>.XXX</td><td>±</td><td>.005</td></tr> <tr><td>FOUR PLACE</td><td>.XXXX</td><td>±</td><td>.0005</td></tr> <tr><td>ANGLES</td><td>X</td><td>±</td><td>2°</td></tr> </table> | NO PLACE  |                  |              |             |                    | X     | ± | - | ONE PLACE | X | ± | .020 | TWO PLACE | .XX | ± | .010 | THREE PLACE | .XXX | ± | .005 | FOUR PLACE | .XXXX | ± | .0005 | ANGLES | X | ± | 2° | CHECK - - |
| NO PLACE  | X   | ±                | -            |             |                    |       |   |   |           |   |   |      |           |     |   |      |             |      |   |      |            |       |   |       |        |   |   |    |           |
| ONE PLACE   | X   | ±                | .020         |             |                    |       |   |   |           |   |   |      |           |     |   |      |             |      |   |      |            |       |   |       |        |   |   |    |           |
| TWO PLACE   | .XX   | ±                | .010         |             |                    |       |   |   |           |   |   |      |           |     |   |      |             |      |   |      |            |       |   |       |        |   |   |    |           |
| THREE PLACE   | .XXX  | ±                | .005         |             |                    |       |   |   |           |   |   |      |           |     |   |      |             |      |   |      |            |       |   |       |        |   |   |    |           |
| FOUR PLACE  | .XXXX   | ±                | .0005        |             |                    |       |   |   |           |   |   |      |           |     |   |      |             |      |   |      |            |       |   |       |        |   |   |    |           |
| ANGLES  | X   | ±                | 2°           |             |                    |       |   |   |           |   |   |      |           |     |   |      |             |      |   |      |            |       |   |       |        |   |   |    |           |
| THIRD ANGLE PROJECTION<br>  | INTERPRET PER ASME Y14.5M-1994<br>OTHER HONEYWELL ENGINEERING STANDARDS MAY APPLY | SIZE B           | TYPE I       | CAGE CODE - | DRAWING NAME 98102 | REV C |   |   |           |   |   |      |           |     |   |      |             |      |   |      |            |       |   |       |        |   |   |    |           |
|   | AUTOCAD 2D  | SCALE 1:1        | SHEET 1 OF 1 |             |                    |       |   |   |           |   |   |      |           |     |   |      |             |      |   |      |            |       |   |       |        |   |   |    |           |